




# BEARING Driveshaft USA CORP.

## INA RNAO20X32X12 needle roller bearings



Bearing No. RNAO20X32X12

Size	20x32x12 mm
Bore Diameter	20 mm
Outer Diameter	32 mm
Width	12 mm
$F_w$	20 mm
D	32 mm
C	12 mm
$D_a$	26,5 mm
$D_b$	20,4 mm
$d_b$	25,6 mm
E	26 mm
$r_{a \max}$	0,3 mm
$r_{\min}$	0,3 mm
m	38 g / Weight
$C_r$	15100 N / Dynamic load rating (radial)
$C_{0r}$	16200 N / Static load rating (radial)
$C_{ur}$	2850 N / Fatigue limit load, radial
$n_G$	20900 1/min / Limiting speed
$n_B$	10500 1/min / Reference speed
Category	Needle Non Thrust Roller Bearings
Inventory	0.0

RNAO20X32X12 Bearing 2D drawings and 3D CAD models



## BEARING Driveshaft USA CORP.

Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	0.04
EAN	4012801600927
Product Group	B04144
Rolling Element	Needle Roller Bearing
Component	Roller Assembly with Outer Ring - No Inner Ring
Enclosure	Open
Self Aligning	No
Retainer	Yes
Number of Rows of Rollers	Single Row
Separable	Outer Ring - Both Sides
Closed End	No
Inch - Metric	Metric
Relubricatable	No
Thrust Bearing	No
Long Description	20MM Bore; 32MM Outside Diameter; 12MM Width; Needle Roller Bearing; Roller Assembly with Outer Ring - No Inner Ring; Open Enclosure; No Self Aligning; Retainer; Single Row of Rollers; Outer Ring - Bo
Other Features	Plain Outer Ring   Precision Bearing   Steel Cage   Ground Raceway
Category	Needle Non Thrust Roller Bearing
UNSPSC	31171512
Harmonized Tariff Code	8482.40.00.00
Noun	Bearing
Keyword String	Needle
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>



## BEARING Driveshaft USA CORP.

Manufacturer Item Number	RNAO20X32X12
Weight / LBS	0.084
Width	0.472 Inch   12 Millimeter
Bore	0.787 Inch   20 Millimeter
Outside Diameter	1.26 Inch   32 Millimeter